Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. S. Bretscher
C. R. Cantor
P. Chambon
J. Davies
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
M. F. Moody
D. Nathans
C. C. Richardson
P. M. B. Walker
K. Weber
S. M. Weissman

VOLUME 125
15 October to 15 November 1978

ACADEMIC PRESS
London New York San Francisco

Copyright © 1978, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 125

Number 1, 15 October 1978

Winter, W. T., Arnott, S., Isaac, D. H. and Atkins, E. D. T., Chondroitin 4-Sulfate: The Structure of a Sulfated Glycosaminoglycan 1

Cael, J. J., Winter, W. T. and Arnott, S., Calcium Chondroitin 4-Sulfate: Molecular Conformation and Organization of Polysaccharide Chains in a Proteoglycan 21

Changchien, L-M. and Craven, G. R., Studies on the Role of Amino Acid Residues 31 through 46 of Ribosomal Protein S4 in the Mechanism of 30 S Ribosome Assembly 43

Murialdo, H. and Becker, A., A Genetic Analysis of Bacteriophage Lambda Prohead Assembly *in Vitro* 57

Strome, S. and Young, E. T., Translational Control of the Expression of Bacteriophage T7 Gene *0·3* 75

Luoma, G. A. and Marshall, A. G., Laser Raman Evidence for a New Cloverleaf Secondary Structure for Eukaryotic 5 S RNA 95

Number 2, 25 October 1978

Chen, T-C. and Ray, D. S., Replication of Bacteriophage M13. XIII. Structure and Replication of Cloned M13 Miniphage 107

Neugebauer, D-Ch., Oesterhelt, D. and Zingsheim, H. P., The Two Faces of the Purple Membrane. II. Differences in Surface Charge Properties Revealed by Ferritin Binding 123

Hofmann, H., Fietzek, P. P. and Kühn, K., The Role of Polar and Hydrophobic Interactions for the Molecular Packing of Type I Collagen: A Three-dimensional Evaluation of the Amino Acid Sequence 137

Baas, P. D., Teertstra, W. R. and Jansz, H. S., Bacteriophage ϕX174 RF DNA Replication *in Vivo*: A Biochemical Study 167

Baas, P. D., Keegstra, W., Teertstra, W. R. and Jansz, H. S., R-Loops in Bacteriophage ϕX174 RF DNA 187

Bryan, J. and Kane, R. E., Separation and Interaction of the Major Components of Sea Urchin Actin Gel 207

Sanger, F., Coulson, A. R., Friedmann, T., Air, G. M., Barrell, B. G., Brown, N. L., Fiddes, J. C., Hutchison, C. A., III, Slocombe, P. M. and Smith, M., The Nucleotide Sequence of Bacteriophage ϕX174 . . 225

Air, G. M., Coulson, A. R., Fiddes, J. C., Friedmann, T., Hutchison, C. A., III, Sanger, F., Slocombe, P. M. and Smith, A. J. H., Nucleotide Sequence of the F Protein Coding Region of Bacteriophage ϕX174 and the Amino Acid Sequence of its Product 247

Number 3, 5 November 1978

Tsujimoto, Y. and Ogawa, H., Intermediates in Genetic Recombination of Bacteriophage T7 DNA. Biological Activity and the Roles of Gene *3* and Gene *5* 255

Borisov, V. V., Borisova, S. N., Kachalova, G. S., Sosfenov, N. I., Vainshtein, B. K., Torchinsky, Y. M. and Braunstein, A. E., Three-dimensional Structure at 5 Å Resolution of Cytosolic Aspartate Transaminase from Chicken Heart 275

Anglister, L. and Silman, I., Molecular Structure of Elongated Forms of Electric Eel Acetylcholinesterase 293

Luther, P. and Squire, J., Three-dimensional Structure of the Vertebrate Muscle M-Region 313

Morikawa, K., la Cour, T. F. M., Nyborg, J., Rasmussen, K. M., Miller, D. L. and Clark, B. F. C., High Resolution X-ray Crystallographic Analysis of a Modified Form of the Elongation Factor Tu: Guanosine Disphosphate Complex 325

Isobe, T., Yanagida, M., Boosman, A. and Tsugita, A., Characterization of the Morphogenesis-dependent Cleavage Region of the Major Capsid Protein (P23) of Bacteriophage T4; Sequence of an Amber Fragment of P23 . 339

Janin, J., Wodak, S., Levitt, M. and Maigret, B., Conformation of Amino Acid Side-chains in Proteins 357

Dodson, E. J., Dodson, G. G., Lewitova, A. and Sabesan, M., Zinc-free Cubic Pig Insulin: Crystallization and Structure Determination . . 387

Letters to the Editor

Pingoud, A. M., Peters, F. and Maass, G., Chemical Modification Studies on the Tyrosyl-tRNA Synthetase/tRNA Complex are in Agreement with an Antico-operative Binding Scheme 397

Creighton, T. E., Possible Implications of Many Proline Residues for the Kinetics of Protein Unfolding and Refolding 401

NUMBER 4, 15 NOVEMBER 1978

MANLEY, J. L., Synthesis and Degradation of Termination and Premature-termination Fragments of β-Galactosidase *in Vitro* and *in Vivo* . . . 407

MANLEY, J. L. and GESTELAND, R. F., Suppression of Amber Mutants *in Vitro* Induced by Low Temperature 433

MANLEY, J. L., Synthesis of Internal Re-initiation Fragments of β-Galactosidase *in Vitro* and *in Vivo* 449

MAQUAT, L. E. and REZNIKOFF, W. S., *In Vitro* Analysis of the *Escherichia coli* RNA Polymerase Interaction with Wild-type and Mutant Lactose Promoters 467

SHELTON, E. R., WASSARMAN, P. M. and DEPAMPHILIS, M. L., Structure of Simian Virus 40 Chromosomes in Nuclei from Infected Monkey Cells . 491

Appendix: FELDMAN, H. A., SHELTON, E. R., WASSARMAN, P. M. and DEPAMPHILIS, M. L., A Numerical Analysis . . . 511

THIRY, L. and HERVÉ, G., The Stimulation of *Escherichia coli* Aspartate Transcarbamylase Activity by Adenosine Triphosphate. Relation with the Other Regulatory Conformational Changes; a Model . . . 515

LETTER TO THE EDITOR

DREW, H. R., DICKERSON, R. E. and ITAKURA, K., A Salt-induced Conformational Change in Crystals of the Synthetic DNA Tetramer d(CpGpCpG) 535

Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-molecular-biology_1978_125_index-contents

Index to Volume 125

Acetylcholinesterase, electric eel, molecular structure of elongated forms, 293
Actin gel, sea urchin, separation and interaction of the major components, 207
Adenosine triphosphate stimulation of *Escherichia coli* aspartate transcarbamylase activity; relation with the other regulatory conformational changes; a model, 515
Air, G. M., Coulson, A. R., Fiddes, J. C., Friedmann, T., Hutchison, C. A., III, Sanger, F., Slocombe, P. M. & Smith, A. J. H., Nucleotide sequence of the F protein coding region of bacteriophage ϕX174 and the amino acid sequence of its product, 247
— (see also Sanger, F.), 225
Amber fragment sequence for P23; characterization of the morphogenesis-dependent cleavage region of the major capsid protein (P23) of bacteriophage T4, 339
— mutant suppression *in vitro* induced by low temperature, 433
Amino acid residues 31 through 46 of ribosomal protein S4, studies of their role in the mechanism of 30 S ribosome assembly, 43
— — sequence of gene *F* protein and the nucleotide sequence of the F protein coding region of bacteriophage ϕX174, 247
— — — — type I collagen, a three-dimensional evaluation, 137
— — side-chain conformation in proteins, 357
Anglister, L. & Silman, I., Molecular structure of elongated forms of electric eel acetylcholinesterase, 293
Antico-operative binding scheme is in agreement with chemical modification studies on the tyrosyl-tRNA synthetase/tRNA complex, 397
Arnott, S. (see also Cael, J. J.), 21
— (see also Winter, W. T.), 1
Aspartate transaminase, cytosolic, from chicken heart, three-dimensional structure at 5 Å resolution, 275
— transcarbamylase from *Escherichia coli*, stimulation of activity by adenosine triphosphate; relation with the other regulatory conformational changes; a model, 515
Assembly mechanism of 30 S ribosome, studies on the role of amino acid residues 31 through 46 of ribosomal protein S4, 43
— of bacteriophage lambda proheads *in vitro*, a genetic analysis, 57
Atkins, E. D. T. (see also Winter, W. T.), 1

Baas, P. D., Keegstra, W., Teertstra, W. R. & Jansz, H. S., R-loops in bacteriophage ϕX174 RF DNA, 187
—, Teertstra, W. R. & Jansz, H. S., Bacteriophage ϕX174 RF DNA replication *in vivo*: a biochemical study, 167
Bacteriophage lambda prohead assembly *in vitro*, a genetic analysis, 57
— M13; structure and replication of cloned M13 miniphage, 107
— ϕX174, nucleotide sequence of the F protein coding region and the amino acid sequence of its product, 247
— —, the nucleotide sequence, 225
— —, RF DNA R-loops, 187
— — — — replication *in vivo:* a biochemical study, 167
— T4, characterization of the morphogenesis-dependent cleavage region of the major capsid protein (P23); sequence of an amber fragment of P23, 339
— T7 gene *0·3*, translational control of expression, 75
— —, intermediates in genetic recombination of DNA; biological activity and the roles of gene *3* and gene *5*, 255
Barrell, B. G. (see also Sanger, F.), 225
Becker, A. (see also Murialdo, H.), 57
Binding of ferritin reveals differences in surface charge properties of the two faces of the purple membrane, 123
— scheme, antico-operative, is in agreement with chemical modification studies on the tyrosyl-tRNA synthetase/tRNA complex, 397
Boosman, A. (see also Isobe, T.), 339
Borisov, V. V., Borisova, S. N., Kachalova, G. S., Sosfenov, N. I., Vainshtein, B. K., Torchinsky, Y. M. & Braunstein, A. E., Three-dimensional structure at 5 Å resolution of cytosolic aspartate transaminase from chicken heart, 275
Borisova, S. N. (see also Borisov, V. V.), 275

Braunstein, A. E. (see also Borisov, V. V.), 275
Brown, N. L. (see also Sanger, F.), 225
Bryan, J. & Kane, R. E., Separation and interaction of the major components of sea urchin actin gel, 207

Cael, J. J., Winter, W. T. & Arnott, S., Calcium chondroitin 4-sulfate: molecular conformation and organization of polysaccharide chains in a proteoglycan, 21
Calcium chondroitin 4-sulfate: molecular conformation and organization of polysaccharide chains in a proteoglycan, 21
Capsid protein P23 of bacteriophage T4, characterization of the morphogenesis-dependent cleavage region; sequence of an amber fragment of P23, 339
Changchien, L-M. & Craven, G. R., Studies on the role of amino acid residues 31 through 46 of ribosomal protein S4 in the mechanism of 30 S ribosome assembly, 43
Chen, T-C. & Ray, D. S., Replication of bacteriophage M13. XIII. Structure and replication of cloned M13 miniphage, 107
Chicken heart cytosolic aspartate transaminase, three-dimensional structure at 5 Å resolution, 275
Chondroitin 4-sulfate, calcium: molecular conformation and organization of polysaccharide chains in a proteoglycan, 21
— —: the structure of a sulfated glycosaminoglycan, 1
Chromosomes, SV40, structure in nuclei from infected monkey cells, 491
Clark, B. F. C. (see also Morikawa, K.), 325
Cleavage region, morphogenesis-dependent, of the major capsid protein (P23) of bacteriophage T4: characterization; sequence of an amber fragment of P23, 339
Cloned M13 miniphage, structure and replication, 107
Cloverleaf secondary structure for eucaryotic 5 S RNA, evidence from laser Raman spectra, 95
Collagen, type I, the role of polar and hydrophobic interactions for molecular packing; a three-dimensional evaluation of the amino acid sequence, 137
Conformation and organization of polysaccharide chains in a proteoglycan: calcium chondroitin 4-sulfate, 21
— of amino acid side-chains in proteins, 357
Conformational change, salt-induced, in crystals of the synthetic DNA tetramer d(CpGpCpG), 535
Coulson, A. R. (see also Air, G. M.), 247
— (see also Sanger, F.), 225
Craven, G. R. (see also Changchien, L-M.), 43
Creighton, T. E., Possible implications of many proline residues for the kinetics of protein unfolding and refolding, 401
Crystallization and structure determination of zinc-free cubic pig insulin, 387
Crystals of the synthetic DNA tetramer d(CpGpCpG), a salt-induced conformational change, 535
Cytosolic asparate transaminase from chicken heart, three-dimensional structure at 5 Å resolution, 275

d(CpGpCpG) crystals, a salt-induced conformational change, 535
DNA, RF, of bacteriophage ϕX174, replication *in vivo:* a biochemical study, 167
—, —, R-loops for bacteriophage ϕX174, 187
—, synthetic tetramer d(CpGpCpG) crystals, a salt-induced conformational change, 535
Depamphilis, M. L. (see also Feldman, H. A.), 511
— (see also Shelton, E. R.), 491
Dickerson, R. E. (see also Drew, H. R.), 535
Dodson, E. J., Dodson, G. G., Lewitova, A. & Sabesan, M., Zinc-free cubic pig insulin: crystallization and structure determination, 387
Dodson, G. G. (see also Dodson, E. J.), 387
Drew, H. R., Dickerson, R. E. & Itakura, K., A salt-induced conformational change in crystals of the synthetic DNA tetramer d(CpGpCpG), 535

Electric eel acetylcholinesterase, molecular structure of elongated forms, 293
Elongation factor Tu:guanosine diphosphate complex, high resolution X-ray crystallographic analysis of a modified form, 325
Escherichia coli aspartate transcarbamylase activity, stimulation by adenosine triphosphate; relation with the other regulatory conformational changes; a model, 515
— — RNA polymerase, *in vitro* analysis of the interaction with wild-type and mutant lactose promoters, 467
Eucaryotic 5 S RNA, laser Raman evidence for a new cloverleaf secondary structure, 95

F protein of bacteriophage ϕX174, nucleotide sequence of the coding region and the amino acid sequence of its product, 247
Feldman, H. A., Shelton, E. R., Wassarman, P. M. & Depamphilis, M. L., A numerical analysis (*Appendix* to Shelton, E. R. *et al.*, 491), 511
Ferritin binding reveals differences in surface charge properties of the two faces of the purple membrane, 123
Fiddes, J. C. (see also Air, G. M.), 247
— (see also Sanger, F.), 225
Fietzek, P. P. (see also Hofmann, H.), 137
Friedmann, T. (see also Air, G. M.), 247
— (see also Sanger, F.), 225

β-Galactosidase, synthesis and degradation of termination and premature-termination fragments *in vitro* and *in vivo*, 407
—, — of internal re-initiation fragments *in vitro* and *in vivo*, 449
Gel of sea urchin actin, separation and interaction of the major components, 207
Gene *0·3* of bacteriophage T7, translational control of expression, 75
Genetic analysis of bacteriophage lambda prohead assembly *in vitro*, 57
— recombination intermediates of bacteriophage T7; biological activity and the roles of gene *3* and gene *5*, 255
Gesteland, R. F. (see also Manley, J. L.), 433
Glycosaminoglycan, sulfated: structure of chondroitin 4-sulfate, 1
Guanosine diphosphate complex with elongation factor Tu, high resolution X-ray crystallographic analysis of a modified form, 325

Heart of chicken, three-dimensional structure at 5 Å resolution of cytosolic aspartate transaminase, 275
Hervé, G. (see also Thiry, L.), 515
Hofmann, H., Fietzek, P. P. & Kühn, K., The role of polar and hydrophobic interactions for the molecular packing of type I collagen: a three-dimensional evaluation of the amino acid sequence, 137
Hutchison, C. A., III (see also Air, G. M.), 247
— (see also Sanger, F.), 225

Insulin, pig, cubic, zinc-free, crystallization and structure determination, 387
Intermediates in genetic recombination of bacteriophage T7 DNA. Biological activity and the roles of the gene *3* and gene *5*, 255
Isobe, T., Yanagida, M., Boosman, A. & Tsugita, A., Characterization of the morphogenesis-dependent cleavage region of the major capsid protein (P23) of bacteriophage T4; sequence of an amber fragment of P23, 339
Isaac, D. H. (see also Winter, W. T.), 1
Itakura, K. (see also Drew, H. R.), 535

Janin, J., Wodak, S., Levitt, M. & Maigret, B., Conformation of amino acid side-chains in proteins, 357
Jansz, H. S. (see also Baas, P. D.), 167, 187

Kachalova, G. S. (see also Borisov, V. V.), 275
Kane, R. E. (see also Bryan, J.), 207
Keegstra, W. (see also Baas, P. D.), 187
Kinetics of protein unfolding and refolding, possible implications of many proline residues, 401
Kühn, K. (see also Hofmann, H.), 137

λ (see also bacteriophage), 57
La Cour, T. F. M. (see also Morikawa, K.), 325
Lactose promoters, wild-type and mutant, *in vitro* analysis of their interaction with *Escherichia coli* RNA polymerase, 467
Laser Raman evidence for a new cloverleaf secondary structure for eucaryotic 5 S RNA, 95
Levitt, M. (see also Janin, J.), 357
Lewitova, A. (see also Dodson, E. J.), 387
Luoma, G. A. & Marshall, A. G., Laser Raman evidence for a new cloverleaf secondary structure for eukaryotic 5 S RNA, 95
Luther, P. & Squire, J., Three-dimensional structure of the vertebrate muscle M-region, 313

M13 (see also Miniphage), 107
Maass, G. (see also Pingoud, A. M.), 397
Maigret, B. (see also Janin, J.), 357
Manley, J. L., Synthesis and degradation of termination and premature-termination fragments of β-galactosidase *in vitro* and *in vivo*, 407
—, — of internal re-initiation fragments of β-galactosidase *in vitro* and *in vivo*, 449
— & Gestland, R. F., Suppression of amber mutants *in vitro* induced by low temperature, 433
Maquat, L. E. & Reznikoff, W. S., *In vitro* analysis of the *Escherichia coli* RNA polymerase interaction with wild-type and mutant lactose promoters, 467
Marshall, A. G. (see also Luoma, G. A.), 95
Membrane, purple, the two faces; differences in surface charge properties revealed by ferritin binding, 123
Miller, D. L. (see also Morikawa, K.), 325
Miniphage M13, cloned, structure and replication, 107
Monkey cells, infected, structure of SV40 chromosomes in their nuclei, 491
Morikawa, K., La Cour, T. F. M., Nyborg, J., Rasmussen, K. M., Miller, D. L. & Clark, B. F. C., High resolution X-ray crystallographic analysis of a modified form of the elongation factor Tu:guanosine diphosphate complex, 325
M-region of vertebrate muscle, three-dimensional structure, 313
Murialdo, H. & Becker, A., A genetic analysis of bacteriophage lambda prohead assembly *in vitro*, 57
Muscle, vertebrate, three-dimensional structure of the M-region, 313
Mutant and wild-type lactose promoters, *in vitro* analysis of their interaction with *Escherichia coli* RNA polymerase, 467
Mutants, amber, suppression *in vitro* induced by low temperature, 433

Neugebauer, D-CH., Oesterhelt, D. & Zingsheim, H. P., The two faces of the purple membrane II. Differences in surface charge properties revealed by ferritin binding, 123
Nucleotide sequence of bacteriophage φX174, 225
— — — the F protein coding region of bacteriophage φX174 and the amino acid sequence of its product, 247
Nyborg, J. (see also Morikawa, K.), 325

Oesterhelt, D. (see also Neugebauer, D-CH.), 123
Ogawa, H. (see also Tsujimoto, Y.), 255

P23 capsid protein of bacteriophage T4, characterization of the morphogenesis-dependent cleavage region; sequence of an amber fragment of P23, 339
φX174 (see also Bacteriophage), 167, 187, 225, 247
Packing, molecular, of type I collagen, the role of polar and hydrophobic interactions; a three-dimensional evaluation of the amino acid sequence, 137
Peters, F. (see also Pingoud, A. M.), 397
Pig insulin, cubic, zinc-free, crystallization and structure determination, 387
Pingoud, A. M., Peters, F. & Maass, G., Chemical modification studies on the tyrosyl-tRNA synthetase/tRNA complex are in agreement with an antico-operative binding scheme, 397
Polymerase for *Escherichia coli* RNA, *in vitro* analysis of its interaction with wild-type and mutant lactose promoters, 467
Prohead assembly *in vitro* of bacteriophage lambda, a genetic analysis, 57
Proline residues, possible implications for the kinetics of protein unfolding and refolding, 401
Protein, F, of bacteriophage φX174, nucleotide sequence of the coding region and the amino acid sequence of its product, 247
— P23 of bacteriophage T4, characterization of the morphogenesis-dependent cleavage region; sequence of an amber fragment of P32, 339
— S4, ribosomal, studies on the role of amino acid residues 31 through 46 in the mechanism of 30 S ribosome assembly, 43
— unfolding and refolding kinetics, possible implications of many proline residues, 401
Proteins, conformation of amino acid side-chains, 357
Proteoglycan: calcium chondroitin 4-sulfate; molecular conformation and organization of polysaccharude chains, 21
Purple membrane, the two faces; differences in surface charge properties revealed by ferritin binding, 123

Raman laser evidence for a new cloverleaf secondary structure for eucaryotic 5 S RNA, 95
Rasmussen, K. M. (see also Morikawa, K.), 325
Ray, D. S. (see also Chen, T-C.), 107
Recombination, genetic, of bacteriophage T7 DNA, isolation and characterization of intermediates; biological activity and the roles of gene *3* and gene *5*, 255
Refolding and unfolding kinetics of proteins, possible implications of many proline residues, 401
Re-initiation fragments of β-galactosidase, synthesis *in vitro* and *in vivo*, 449
Replication of bacteriophage M13; structure and replication of cloned M13 miniphage, 107
— — — φX174 RF DNA *in vivo:* a biochemical study, 167
Reznikoff, W. S. (see also Maquat, L. E.), 467
RF DNA of bacteriophage φX174, replication *in vivo:* a biochemical study, 167
— — R-loops for bacteriophage φX174, 187
RNA, eucaryotic 5 S, laser Raman evidence for a new cloverleaf secondary structure, 95
— polymerase of *Escherichia coli*, *in vitro* analysis of its interaction with wild-type and mutant lactose promoters, 467
Ribosomal protein S4, studies on the role of amino acid residues 31 through 46 in the mechanism of 30 S ribosome assembly, 43
R-loops in bacteriophage φX174 RF DNA, 187

S4 ribosomal protein, studies on the role of amino acid residues 31 through 46 in the mechanism of 30 S ribosome assembly, 43
Sabesan, M. (see also Dodson, E. J.), 387
Salt-induced conformational change in crystals of the synthetic DNA tetramer d(CpGpCpG), 535
Sanger, F., Coulson, A. R., Friedmann, T., Air, G. M., Barrell, B. G., Brown, N. L., Fiddes, J. C., Hutchison, C. A., III, Slocombe, P. M. & Smith, M., The nucleotide sequence of bacteriophage φX174, 225
— (see also Air, G. M.), 247
Sea urchin actin gel, separation and interaction of the major components, 207
Sequence of an amber fragment of P23; characterization of the morphogenesis-dependent cleavage region of the major capsid protein (P23) of bacteriophage T4, 339
— — amino acids, a three-dimensional evaluation; the role of polar and hydrophobic interactions for the molecular packing of type I collagen, 137
— — nucleotides of bacteriophage φX174, 225
— — — — the F protein coding region of bacteriophage φX174 and the amino acid sequence of its product, 247
Shelton, E. R., Wassarman, P. M. & Depamphilis, M. L., Structure of simian virus 40 chromosomes in nuclei from infected monkey cells, 491
— (see also Feldman, H. A.), 511
Side-chain conformation in proteins, 357
Silman, I. (see also Anglister, L.), 293
Simian virus 40 chromosomes, structure in nuclei from infected monkey cells, 491
Slocombe, P. M. (see also Air, G. M.), 247
— (see also Sanger, F.), 225
Smith, A. J. H. (see also Air, G. M.), 247
Smith, M. (see also Sanger, F.), 225
Sosfenov, N. I. (see also Borisov, V. V.), 275
Squire, J. (see also Luther, P.), 313
Strome, S. & Young, E. T., Translational control of the expression of bacteriophage T7 gene *0·3*, 75
Structure and crystallization of zinc-free cubic pig insulin, 387
Structure and replication of cloned M13 miniphage, 107
—, molecular, of elongated forms of electric eel acetylcholinesterase, 293
— of calcium chondroitin 4-sulfate: molecular conformation and organization of polysaccharide chains in a proteoglycan, 21
— — chondroitin 4-sulfate, a sulfated glycosaminoglycan, 1
Structure of SV40 chromosomes in nuclei from infected monkey cells, 491
Structure, primary, and packing of collagen: the role of polar and hydrophobic interactions, 137
—, secondary, cloverleaf, for eucaryotic 5 S RNA, evidence from laser Raman spectra, 95
—, three-dimensional, at 5 Å resolution, of cytosolic aspartate transaminase from chicken heart, 275
—, ——, of the vertebrate muscle M-region, 313
Suppression of amber mutants *in vitro* induced by low temperature, 433

Surface charge density, difference in properties revealed by ferritin binding for the two faces of the purple membrane, 123
Synthesis and degradation of termination and premature-termination fragments of β-galactosidase *in vitro* and *in vivo*, 407
— of internal re-initiation fragments of β-galactosidase *in vitro* and *in vivo*, 449

T4 (see also Bacteriophage), 339
T7 (see also Bacteriophage), 75, 255
Teertstra, W. R. (see also Baas, P. D.), 167, 187
Temperature, low, induces suppression of amber mutants *in vitro*, 433
Termination and premature-termination fragments of β-galactosidase, synthesis and degradation *in vitro* and *in vivo*, 407
Thiry, L. & Hervé, G., The stimulation of *Escherichia coli* aspartate transcarbamylase activity by adenosine triphosphate. Relation with the other regulatory conformational changes; a model, 515
Torchinsky, Y. M. (see also Borisov, V. V.), 275
Translational control of the expression of bacteriophage T7 gene *0·3*, 75
Tsugita, A. (see also Isobe, T.), 339
Tsujimoto, Y. & Ogawa, H., Intermediates in genetic recombination of bacteriophage T7 DNA. Biological activity and the roles of gene *3* and gene *5*, 255
Tyrosyl-tRNA synthetase/tRNA complex, chemical modification studies are in agreement with an antico-operative binding scheme, 397

Unfolding and refolding kinetics of proteins, possible implications of many proline residues, 401

Vainshtein, B. K. (see also Borisov, V. V.), 275
Vertebrate muscle, three-dimensional structure of the M-region, 313
Virus, structure of SV40 chromosomes in nuclei from infected monkey cells, 491

Wassarman, P. M. (see also Feldman, H. A.), 511
— (see also Shelton, E. R.), 491
Wild-type and mutant lactose promoters, *in vitro* analysis of their interaction with *Escherichia coli* RNA polymerase, 467
Winter, W. T., Arnott, S., Isaac, D. H. & Atkins, E. D. T., Chondroitin 4-sulfate: the structure of a sulfated glycosaminoglycan, 1
— (see also Cael, J. J.), 21
Wodak, S. (see also Janin, J.), 357

X-ray crystallographic analysis, high resolution, of a modified form of the elongation factor Tu: guanosine diphosphate complex, 325

Yanagida, M. (see also Isobe, T.), 339
Young, E. T. (see also Strome, S.), 75

Zinc-free cubic pig insulin: crystallization and structure determination, 387
Zingsheim, H. P. (see also Neugebauer, D-CH.), 123